

RCS

An intensive network of serotonin and **L-tryptophan** was discovered, by using the "Bi-Digital O-Ring Test Molecular Identification and Localization Method" in different parts of the body. In general, in painful areas, frequently **Serotonin** is markedly reduced, **L-tryptophan** is markedly increased, and **Substance P** is markedly increased, while in non-painful areas, **Serotonin** is markedly increased, **L-tryptophan** is markedly decreased, and **Substance P** is markedly decreased.

(Omura Y. "Bi-Digital O-Ring Test Molecular Identification and Localization Method" and its Application in Imaging of Internal Organs and Malignant Tumors as well as Identification and Localization of Neurotransmitters and Micro-Organisms – Part 1, Acupuncture & Electro-Therapeutics Res. Int. J. vol.11,pp.65-100, 1986).

L-tryptophan **Substance P**
L-tryptophan **Substance P**
L-Tryptophan → **L- -HYDROXYTRYPTOPHAN** → **Serotonin**
Thro boxane B2



電気治療で L-Tryptophan と Substance P の領域が減少し、Serotonin が増大している例の写真
 ACTH

Kyotorphin L-tyrosyl-L-arginine

Chlamydia- (Lyme)- Uric Acid Syndorome , Chlamydia-(Cytomegalovirus)-Uric Acid Syndrome "

(Omura Yoshiaki & BECKMAN, SANDRA L., Application of Intensified (+) Qi Gong Energy, (-) Electrical Field, (S) Magnetic Field, Electrical Pulses (1 Pulses/sec), Strong Shiatsu Massage or Acupuncture on the Accurate Organ Representation Areas of the Hands to Improve Circulation and Enhance Drug Uptake in Pathological Organs Clinical Applications with Special Emphasis on the

-(Lyme)- and **-(Cytomegalovirus)-**,
 Acupuncture & Electro-Therapeutic. Res., The Int. J., Vol.20: pp21-72,1995)
 hyperuricemia

Chlamydia trachomatis, Uric acid



Borrelia burgdorferi


-(Lyme)-Uric

Cytomegalovirus


Herpes Simplex

Virus Type







Herpes Simplex Virus type (HSV) Herpes Simplex Virus type HSV Varicella Zoster Virus, Cytomegalo Virus, Epstein-Barr Virus, Human Herpes Virus Type 6 (HHV6), Human Herpes Virus(HHV7), Human Herpes Virus Type 8 (HHV8 KSHV)




Helicobacter pylori
Helicobacter pylori
MEDLINE



RCS	
Borrelia Burgdorferi	
Chlamydia trachomatis Chlamydia pneumoniae	ALS
Hg Pb Al	ALS 筋萎縮性側索硬化症), 流産(自然流産)、アルツハイマー病、自閉症、 (-)Qi

◆ 痛みの伝達経路と慢性痛の発生・維持機構



Bradykinin
Serotonin
Histamine
Prostaglandin
CGRP
Substance P
BDNF
TNE- α

※痛みの伝達経路についての正しい理解が必要

関西大学 医化学講座

Pain related RCS

350157	8-OH-dG (8-hydroxy-deoxyguanosine) DNA 損傷マーカー	ng(100,40,30,20,10,4,3,2,1)+pg(100,10,1)	12 枚	価格 32,000 円
303000	Thromboxane B2 (ng)	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円
304000	Substance P (ng)	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円
331100	Bradykinin (ng)	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円
315000	Kyotorphin (μg) 鎮痛効果の指標	μg(100,40,30,20,10,4,3,2,1)	9 枚	価格 36,000 円
306000	Chlamydia trachomatis (ng)	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円
314000	Serotonin (μg)	μg(100,40,30,20,10,4,3,2,1)	9 枚	価格 32,000 円
307000	Borrelia burgdorferi (ng)	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円
317000	Uric Acid (mg)	mg(4,3,2,1,0.5)	5 枚	価格 21,000 円
308000	Herpes Simplex Virus Type I (ng)	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円
309000	Herpes Simplex Virus Type II (ng)	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円
329000	Varicella Zoster Virus (ng)	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円

310223	CGRP(ng) 片頭痛・群発頭痛	ng(400,300,200,100,40,30,20,10,4,3,2,1)	12 枚	価格 32,000 円
--------	-------------------	---	------	-------------