


# RCSを使用するにあたり 重要なチャート

ORT生命科学研究所

# X-,Y-axis Laser Pointerを用いたスクリーニング



# RCSを用いたscanning法

- ① 初診の患者さんのスクリーニング
- 第三者(看護婦)が、リニア(直線)型のレーザーとRCSを持ち、X方向にscanしていく。
- ※下津浦内科医院では、
- **Chlamydia pneumoniae, Chlamydia trachomatis, Helicobacter pylori, Mycobacterium tuberculosis, Oncogene C-fos Ab2**(※痛みの場合は、**Substance P, HSV I、HSV II**等でscanする。)
- ※上記ORTでのscanningで陽性だった場合は、血液検査、CT、X線、内視鏡等の形態学的検査で確認して確定診断とする。


# レーザーでのscanning方法



X方向にscanして、陽性部分にチェックをつける。  
 ※Oncogene C-fos Ab2の場合は、頭の上から大腿部まで、scanする。

癌反応部は、肝臓、胃、膵臓、大腸等の組織を用いて、調べる臓器をしばりこむ

### 循環障害 (Circulatory Disturbance)



#### 検査計画

Lp(a)  
PAI-1  
Cardiac Troponin T  
Cardiac Troponin I  
L-homocystine  
CRP

#### 予防計画

- ① EPA/DHA (EPA- $\alpha$ )
- ② I-10 (抗クラミジア)
- ③ L-homocystine が高い時は、葉酸 + Vit.B6



## 感染症(Infectious Disease)


⑪大腸、HSV

⑫前立腺、HSV

⑬睾丸、HSV

⑭子宮、HPV

⑮足、白癬菌



①海馬、ウイルス

②鼻

③口腔、歯周病

④咽頭、クラミジア

⑤気管支、肺

⑥心臓、クラミジア


⑦胃、ピロリ菌


⑧肝臓 A, B, C

⑨胆嚢

⑩膵臓、CMV

# Neoplastic Disease (腫瘍性病變)





## RCSを用いたイメージング例

<b>Asthma</b> (喘息)	<b>Chlamydia trachomatis</b> <b>Chlamydia Pneumonia</b> <b>α-Streptococcus</b> <b>Coxsackie virus etc.</b> Identify specific organism/s and prescribe accordingly	Doxycycline (100 mg bid for 2-3 mos) Trimox EPA/DHA	Lower 1/2 of first segment of middle finger, second & third segment of middle finger (all surfaces)
<b>Atrial Fibrillation, Auricular Fibrillation</b> (心房[性]細動)	<b>Chlamydia trachomatis</b> or <b>Borrelia Burgdorferi</b> in SA node of heart	Doxycycline Trimox	Third segment of middle finger (ventral surface)
<b>Autism (自閉症)</b> (Childhood Alzheimers)	<b>Increased Al, Pb, Hg</b> <b>Decreased Acetylcholine</b> <b>CMV 8-OH-dG</b> <b>HHV-6 &amp; HHV-7</b>	Cilantro EPA/DHA	First segment middle finger (all surfaces)
<b>Bad Breath</b> (combined with Gastric problems) (口臭)	<b>Helicobacter Pylori</b>	Trimox	Mouth and gastric area of hand chart
<b>Bell Palsy(ベル麻痺)</b> Peripheral Facial Paralysis (末梢性顔面麻痺)	<b>HSV-I</b> (major cause) <b>Borrelia Burgdorferi</b> <b>Al, Pb, Hg</b>	EPA/DHA Trimox Cilantro	First Segment of Middle Finger (ventral surface)
<b>Black Hairy Tongue</b> 黒[色]舌, 黒毛舌	Fungus	Diflucan 100 mg q.d. for 2+ weeks	Tongue(also use tongue scraper)
<b>Blood Pressure</b> 血压	Infection of cardiovascular representation area of Medulla oblongata & heart w/ <b>HSV-I &amp;/or HSV-II</b> ; or <b>Chlamydia trachomatis</b> in Aortic arch. <b>CMV; Epstein-Barr Virus</b>	EPA/DHA Cilantro if heavy metals are present  Doxycycline	Back of First Segment of Middle Finger below nail. Ventral surface of 3rd segment of middle finger
<b>Bulimia 過食症</b>	<b>Heavy metals in brain</b>	EPA/DHA & Cilantro	First segment of middle finger

# Life Science Institute

